Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
005054					08/08/2013
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 395 WESTFIELD RD					
RIVERVIEW HOSPITAL NOBLESVILLE, IN 46060					
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE COMPLETE
S 000	00 INITIAL COMMENTS		S 000		
	This visit was for one State hospital complaint investigation.				
	Complaint Number: IN00131137 Substantiated: no deficiencies cited				
	Facility Number: 005054				
	Date: 8/8/13				
	Surveyor: Linda Plummer, R.N. Public Health Nurse Surveyor				
	Riverview Hospital is in compliance with 410 IAC 15-1.6.2, Emergency services, Indiana Hospital Licensure Rules.				
	QA: claughlin 08/15/	13			

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE